

- Fits 4r
- Use on late model Ford / Lincoln / Mercury vehicles



# T70600

Remo

and trucks



Two fine edges for precise finishing work · Radiused corners for concave, curve shaping

# T70601

for a secure grip

windshields and rear windows



# T70602

- Tapered jaws retain clips for easy re-installation
- · Use raised end to remove upholstery



# T70604

- Prevents damage to door panel upholstery
- · Specially made for GM and Ford vehicles



# T70607

- · Will not damage trim pads or fasteners
- · Offset working ends for extra leverage



- door handle clips, and head light springs
- · Manufactured from tempered spring steel







• Inserts

windshields

• Double-ended, 90-degree swivel steel tips fit nearly every application



# **T70606** Door Upholstery Remove.

Fasily

· Heavy-duty steel shaft with large comfortable handle



# T70611 Door Hinge Puller

Simplif

door hinge pins

- Crank handle for high leverage. Includes four pin extractors to fit most vehicles:
  - 3.00mm x 110mm
  - 5.50mm x 110mm
  - 5.00mm x 110mm
  - 5.00mm x 125mm



### T70612 Door Look Hole Reforming Too.

- Fasily
- · Works on flush fittings or recessed lock holes
- Heavy-duty construction with T-handle



# T70643 Universal Lift Support Clamp

• Works

tailgates, and trunks

 Adjustable knob securely holds weak lift supports in the extended position to allow access in the engine compartment or luggage areas



and window crank retaining clips

- Non-slip vinyl offset handle permits easy access to molding clips
- Slips under window crank without damage to panel material



### New

# T70644 Bent Type CV Boot Hose Clamp Cutter

damage to CV boot

- · Heavy-duty construction, SKIII cutter
- Capacity: hose clamp width under 10mm Thickness: 0.5 - 0.7mm



# T70646 CV Joint Boot Clamp Pliers

Special

on many foreign and domestic cars





• Crimps

- joint boots
- · Installs quick clamps on fuel filter and cooling system hoses



# T70650

- Fasily
- Heavy-duty tempered steel
- · Vinyl handle for secure grip



# T70648

- Offset jaws works on large boot clamps
- · Excellent for working in confined spaces



- Heavy-duty tempered steel
- · Built-in cutting arm snips band after tightening



# T70657

- To operate, release the screw at midpoint and insert each wire end into the handle and tighten the securing screws. The handles are secured to the wire for tough pulling jobs



- Insert cutter under windshield and through the seal
- · Use "T" handle to pull the cutter and cut the seal
- · Cuts through all windshield adhesives



# T70674

- - removing excess parts
- · For use on all multi-port fuel injection injectors



# T70663

- Emerc
- Size 1-1/4" x 24" with push and pull ends





T70665 Includes




- Buttoneer & Auxiliary tool
- Slide Locks & Zingers tool
- Camry & Chrysler tool
- Mercedes & Volvo tool
- Dual Tool
- Japan Easy Button Hook
- Porsche tool
- · Astro & Camaro tool
- Thin Bar tool
- · Knob Knabber tool
- Wide Bar tool
- Wonder tool (integrated unit)
- Polypropylene Window Wedge
- Universal Angle Hook tool (Button Pull)
- Universal Radiused Hook tool (Double Curve)
- · Gas Filler Cap Lock Master Keys x 2

The professional solution for lock-out situations.


Conveniently stored in a carry case for call outs.
Each tool is clearly labeled & secured. The tools are carefully manufactured from specially selected materials that allow the user to bend or shape the tools for the required application. Most of the tools are produced from 430 grade stainless steel, with the exception of the Knob Knabber, Window Wedge & Chrome plated mild steel Wonder Tool. Detailed manufacturers reference guide and instruction booklet are included.

T70700

00 ppc Windemela Installation Tool Kit



Straight hook tool used for inserting and cleaning rubber gaskets



Designed for the removal of broken glass from the side runners without removing them

# T70692 Rope Insert Tool

Use to insert the rope into rubber gaskets The handle feeds rope through its stem as you pull it around the gasket

# T70694 Assorted Tip Insert Tool

Tool for inserting locking strip into windshield seals Different heads interchange for most locking strip types

# T70699 Curved Hook Tool

Curved hook tool used for inserting and cleaning rubber gaskets





Comprel



# release of


bonded winshields, windshield molding, butyl adhesive compound and trim pads.

# Contents:

- · Triple-braid, galvanized steel wire with two gripping handles
- Windshield Removal Tool
- Wire Feeder Tool
- Trim Pad Remover
- · Windshield Molding Release Tool

# T70658

Ideal for



### vehicle.

Labor saving design eliminates the need to remove door panels and upholstery.
Contents:

- 4 Pull Rods (formed shank)
- 2 Pick Pulls (straight shank)
- · 1 stainless steel straight edge
- 1 drill bit (1/8")

# T70675

### Detros

- Chrome plated finish resists corrosion
- Includes 5 single-edge razor blades



# T70677 Heavy-Duty Casket Scrape

 1" flat scraper blade for scraping surfaces before installing gaskets



Remov

porcelain and steel

- · 3 lock positions reach many areas
- Protective handle for safe blade storage



# T70678 Extended Scraper

### Remov

- · Spring release changes blades
- Stores 2 extra steel blades and 3 plastic blades in handle







# T70681 1000 Raz

- Stands
- Statitia
- · Each set packaged in 2 boxes, 5 blades per box



# T70702 Apo Pry Bar Set

- Heat-tr
- · High impact handles for extra leverage
- · Perfect for workshops, farms, homes and industries
- Available in sizes 8", 12", 18", 24"



### T70708 Angle Tip Look Ring Pliers

· Packaged in 100 blades per box

· Remov

T70682

- brakes, transmissions, cylinders, clutchs, shafts and other applications
- · Serrated jaws and angled tips for secure grip





# T70706

Multi-pur



# installing

auto trim fittings & fixtures. Tempered spring steel.

Includes:

1Headlamp spring tool

2Windshield molding clip remover

3Door rubber plastic clip remover

4Serrated edge for panel seam detail neatening

5Molding remover

6Windshield wiper wrench

7Door rubber metal clip inserter

8Door weather strip clip remover

9Door handle clip remover

10Door trim bezel clip remover

# T70710 Cotter Pin Puller

- Remov
- Rolled hook acts just like a pry bar to loosen stubborn pins

### T70711 All Purpose Awl

- Scribe
- · Perfect for tire repair
- · Heat-treated, tapered shank







Remov



springs, pins, washers, and etc.

Contents: Curved hook, Offset 45-degree hook, 90-degree hook, Straight pick

Screwdrivers: 1 - Slotted 1/8"

1 - Phillips #0

2 - Star T15, T20

· Chrome Vanadium steel shafts

# T70734 Apo Blok Sol

Compl

O-rings, and etc

· Durable , heat-treated steel



### T70714 2pc O-Ring Hook and Scribe Set

Both to

O-rings and seals

- · Can also be used to retrieve small items
- · Knurled handle for sure grip



### rutty Knives / Wall Scrapers



- · Semi-flexible tempered blades for putties and glues
- · Extra-rigid blades for tough scraping jobs

Putty Knives		Wall Scrapers	
T70785	1-1/4"	T70789	1-1/4"
T70786	2"	T70790	2"
T70787	3"	T70791	3"
T70788	4"	T70792	4"

# T73785 Single Suction Cup

• To lift

metal, sheet plastic and glazed items

· One-hand operation, pulls out panel dents easily



sheet metal, plastic and glazed items

 Heavy-duty construction with swivel heads, appropriate for curved car windshields







- Remo
- Includes metric M14 and standard 9/16" x 18 adaptors
- · Fits many domestic car steering wheels and lock



# T73904

Pulls

vehicles

· Heavy-duty durable construction



# T73766

- vehicles with tilt and telescoping columns
- Designed for air bag equipped vehicles
- Includes 9/16" x 18" and M14 x 1.5mm adaptors



- Designed for late model cars & vans without tapped holes in steering wheel



**Т75513** развише



- · Steering wheel puller
- · Lock plate compressor

Everything you need to remove steering wheels on almost all vehicles with conventional or tilt steering columns. The steering wheel puller features 5 sets of cap screws that securely fasten to steering wheels on many different vehicles including the Chevrolet Lumina, Pontiac Grand Prix, Oldsmobile Cutlass Supreme, Buick Regal, and any other automobile with a redundant entertainment / climate control circuit board. The lock plate compressor accesses the turn signal switch and S.I.R. modules on Chrysler, GM, and AMC to compress the steering wheel in order to remove / install the snap ring. Both the lock plate compressor and steering wheel puller make excellent use of screw power to complete the job efficiently without damaging the steering wheel or steering wheel components.

# T75911





Antenna wrench, Chrysler radio removal socket, Ford radio removal tool, GM code retriever, offset bit ratchet handle, T10,T15 star bit, and tamper resist star bits-T7, T10 and T15

· Most popular tools to remove and install bezel nuts on antennas, radio retaining clips, etc on Ford, GM, Chrysler, VW, and Toyota vehicles



- Perfect
- 6 different socket designs fit most foreign and domestic vehicles
- · Special prongs seat in the antenna nut prevent damage to the fitting finish



# T70931

- Twist knot construction for severe applications
- 1" diameter, 1/4" steel shanks
- Max safe speed 22,000 RPM



# T70933

- cylinders, and valve seats • Use with 1/4" electric drills
- 1" diameter, 1/4" steel shanks
- · Max. safe free speed 22,000 RPM



# T70962

- · Durable, tempered steel bristles
- 3 x 19 rows of 1-1/4" long bristles



# T70918

scales, stains, and dirt

- 3" diameter, 1/4" steel shank
- · Max. safe free speed 4,500 RPM



scales, stains, and dirt

- 2-1/2" diameter, 1/4" steel shank
- Max. safe free speed 4,500 RPM



# T71001

gasoline, turpentine, and other cleaning solvents

· 2-1/2" Chisel trimmed bristles



# T75936

1991 to 1995 Ford Escorts and all Ford Mondeos. Durable, cold forged steel and stainless steel chains.





# T75913 🚨

Remove

antenna of vehicles: Audi, BMW, Ford, GM, Honda, Mazda, Mercedes, Mitsubishi, Nissan, Toyota, Volkswagen. Set features 8 specially designed sockets:

Set features 8 specially designed sockets: T72010 (3 prongs, 11/16" external hex, 3/4"



diameter)

1987-current Chrysler vehicles

**T72015** (2 prongs, 11/16" external hex)

Acura/Toyota, remote control mirror bezel nut on

1981-current Ford/Mercury

**T72011** (2 prongs, 11/16" external hex)

1989-90 Ford Probe, 1989-90 Mazda RX7/926,

Nissan Stanza/Maxima

**T72012** (4 prongs, 11/16" external hex) 1985-90 Ford Taurus and Mercury Sable,

1990 Lincoln Mark VII

**T72013** (4 prongs, 11/16" external hex)

1988-90 GM Cavalier/Sunbird,

GM pickup trucks C/K, 1989-90 Lincoln ownCar/

Continental, 1990 Toyota Camry/Celica

**T72014** (4 prongs, 3/4" external hex)

1977-current GM vehicles

**T72016** (2 prongs, 3/8" socket square drive, 19/32" drive

end diameter, 21/32" socket end diameter)

Most VW and Ford vehicles

T72017 (1/4" square drive, 7/16" drive end diameter,

9/16" socket end diameter)

Some GM and Ford vehicles

# T75905 Spc 10Lb Dent Puller Set This tool



work without

having to extract vehicle's inside panels and upholsteries.

A 10 pound slide hammer and a variety of tapered attachments easily pulls dented or creased sheet metals back into place.

The long shaft allows more space to pull the hammer, therefore resulting in a powerful pulling force in hard-to-reach dented areas such as door panels, side panels, fenders, and roof.

# T75902

Quickly



having to extract vehicle's inside panels and upholsteries

- Heavy-duty parts construction for strength and durability
- 12 lb square hammer design prevents rolling away out of reach
- Variety of tapered attachments easily pulls dented or creased sheet metals back into place
- Solid 5/8" slide shaft allows space to pull hammer, resulting in a powerful pulling force in hard-to-reach dented areas such as door panels, side panels, fenders and roof

# T75930 Multi-Purpose Auto Repail

Conve



in no time

Includes:

- 1 Slide Hammer
- 1 Glue Gun 100-240V, 40W
- 2 Glue stickers
- 4 Adapters
- 1 Scraper