



Grease Guns & Accessories





T20010 Pistol Grip Grease Gun

- Pistol grip action for one handed operation
- Heavy duty die cast head, spring, and handle for consistent priming
- 6,000 PSI maximum pressure
- Air bleeder valve eliminates air lock
- Loads 14oz cartridge or bulk grease



T20011 Professional Grease Gun

- Variable stroke lever action for easy use in tight places
- Air bleeder valve eliminates air lock
- Heavy-duty, die cast head, spring, and handle for consistent priming
- 10,000 PSI maximum pressure
- Contoured, cushioned grip handle
- 6" Extension pipe
- Uses standard 14oz. grease cartridges
- Loads 14oz cartridge or bulk grease



T20012 Lever Action Grease Gun

- Variable stroke lever action for easy use in tight places
- Heavy-duty, die cast head, spring, and handle for consistent priming
- 10,000 PSI maximum pressure
- 6" Extension pipe
- Uses standard 14oz. grease cartridges
- Loads 14oz cartridge or bulk grease



T20013 One-Way Mini Grease Gun

T20014 Two-Way Mini Grease Gun

- Pistol grip action for easy one-handed operation
- 6,000 PSI maximum pressure
- Loads 3oz grease cartridge



T20015 Suction Gun

- Suitable for removals in transmissions, differentials, gear cases, lower units, crankcases, etc.
- Chrome plated, thick wall barrel, knurled for secure grip
- Die cast zinc head cap
- 12" flexible suction hose
- 16oz capacity



T20020 Oiler Pistol Rigid (6oz)

T20021 Oiler Pistol Flex (6oz)



T20080 12" Flex Hose w/ coupler

T20081 18" Flex Hose w/ coupler

- For hand-operated grease guns only
- 1/8" NPT male thread double ends
- Working Pressure: 4,500 PSI
- Burst Pressure: 12,000 PSI



T20084 Grease Injector Needle

- Tempered stainless steel
- Easily inserted under or through bearing seals
- Protective cover included
- For use with hand-grease guns only



T20085 4" Needle Nose Adaptor

- For hard-to-reach grease points
- Use with hand-grease guns only
- Excellent for farm equipment, 4WDs, and recreational vehicles



T20086 Grease Gun Coupler

- Standard grease gun coupler
- 1/8" NPT male thread
- Knurled body and mill flats for ease of use, installation and removal
- Use with hand-grease guns only



T20087 Seal Off Dispenser

- Use with grease plugs
- Fits all standard grease gun hoses and extensions
- 1/8" NPT female thread
- For hand grease guns only



T20088 8pc Grease Fittings (SAE)

- 1/4" x 28 threads

T20089 8pc Grease Fittings (Metric)

- 6mm x 28 threads

Contents: 4pc straight, 2pc 45°, 2pc 90°



T20098 360 Degree Grease Coupler

- 1/8" NPT female inlet
- Designed for cars, trucks, and equipment with hard-to-reach fittings
- Great for front-wheel drive vehicles